



NOTES:

1. STREET WIDTH USE DEFINED IN SUBDIVISION REGULATION MATRIX
2. PAVEMENT THICKNESS DEPENDENT UPON PAVEMENT ANALYSIS & TO BE APPROVED BY CITY ENGINEER
3. ALL SUBGRADE & FILL BELOW PAVEMENT SHALL BE TESTED AND MEET GRAND ISLAND CITY STANDARD SPECIFICATIONS FOR DENSITY AND MOISTURE
4. 12'-0" TRANSVERSE JOINTS
5. CENTERLINE GRADE MINIMUM 0.3%
6. EXPANSION JOINTS LOCATED AT END OF INTERSECTION RETURNS MAXIMUM DISTANCE 500 FEET
7. STRIPING TO BE APPROVED BY PUBLIC WORKS DEPARTMENT
8. NO PARKING
9. INFORMATION PROVIDED HEREIN REQUIRES USE OF ADDITIONAL CITY STANDARD PLAN DETAILS FOR PROPER CONSTRUCTION



41' COMMERCIAL COLLECTOR STANDARD PAVEMENT CROSS SECTION

CITY STANDARD PLANS & SPECIFICATIONS
GRAND ISLAND, NEBRASKA

PLAN	205	
SHEET	I	OF I
DRAWN BY:	TJY	DATE: DEC 2013
REVISED BY:	MLS	DATE: JAN 2021
APPROVED BY:	KJK	DATE: MAR 2021